



ELSEVIER

Animal Feed Science and Technology 73 (1998) 381–383

ANIMAL FEED  
SCIENCE AND  
TECHNOLOGY

## Contents of *Animal Feed Science and Technology*, Volume 73

VOL. 73 NOS. 1–2

JULY 1998

Reduction of gaseous nitrogen loss from pig manure using feeds rich in easily-fermentable non-starch polysaccharides M. Kreuzer, A. Machmüller (Zurich, Switzerland), M.M. Gerdemann, H. Hanneken and M. Wittmann (Vechta, Germany). . . . .	1
A comparison of nitrogen values obtained utilizing the Kjeldahl nitrogen and Dumas combustion methodologies (Leco CNS 2000) on samples typical of an animal nutrition analytical laboratory R.D. Etheridge, G.M. Pesti and E.H. Foster (Georgia, USA) . . . . .	21
Assessment of the nutritive value for ruminants of poultry litter A. Deshck (Amman, Jordan), M. Abo-Shehada (Irbid, Jordan), E. Allonby (Amman, Jordan), D.I. Givens (Stratford-on-Avon, UK) and R. Hill (Cirencester Glos., UK) . . . . .	29
Rumen digesta kinetics in dairy cows fed grass, maize and alfalfa silage. 1. Comparison of conventional, steady-state and dynamic methods to estimate microbial degradation, comminution and passage of particles M. Bruining, R. Bakker, J. van Bruchem and S. Tamminga (Wageningen, The Netherlands) .	37
Evaluation of promissory tree species for sheep feeding in The Highlands of Chiapas, Mexico J. Nahed, A. Sánchez (Chiapas, Mexico), D. Grande and F. Pérez-Gil (México, D.F., Mexico)	59
Rumen degradability and microbial contamination of fish meal and meat meal measured by the in situ technique J. González, C.A. RodriÓguez, S.G. Andrés and M.R. Alvir (Madrid, Spain) . . . . .	71
A review of the importance and physiological role of curd formation in the abomasum of young calves J.I. Longenbach and A.J. Heinrichs (University Park, PA, USA) . . . . .	85
Comparison of different in vitro and in situ methods to estimate the extent and rate of degradation of hays in the rumen S. López, M.D. Carro, J.S. González and F.J. Ovejero (León, Spain) . . . . .	99
Digestion of wheat protein in the preruminant calf: ileal digestibility and blood concentrations of nutrients R. Toullec and M. Formal (Rennes cedex, France) . . . . .	115
Effect of forage particle size and intake level on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets S. Le Liboux and J.L. Peyraud (Saint Gilles, France) . . . . .	131
In vitro ruminal starch digestibility in opaque-2 and regular corn hybrids R.G. Dado and S.D. Beek (Carbondale, IL, USA) . . . . .	151
Effect of dietary organic arsenicals and cupric sulfate on copper toxicity, liver accumulation and	

residue in eggs and excreta of laying hens P. Wen-Shyg Chiou, K.-L. Chen and B. Yu (Taichung, Taiwan) . . . . .	161
Effect of microbial phytase, vitamin D <sub>3</sub> , and citric acid on growth performance and phosphorus, nitrogen and calcium digestibility in growing swine D. Li, X. Che, Y. Wang, C. Hong (Beijing, China) and P.A. Thacker (Saskatchewan, Canada) . . . . .	173
Nutritive value of banana ( <i>Musa acuminata</i> L.) fruits for ruminants M.C. Pieltain, J.I.R. Castañón, M.R. Ventura and M.P. Flores (Las Palmas de Gran Canaria, Spain) . . . . .	187

## VOL. 73 NOS. 3-4

AUGUST 1998

A new process for production of high energy fish feed, evaluated by experimental design and chemical analyses J. Paus (Porsgrunn, Norway), S. Nordrum (Oslo, Norway), S. Elise Aakre and J.-S. Schanche (Porsgrunn, Norway) . . . . .	195
Skeletal muscle goitrin concentration and organ weights in growing pigs fed diets containing rapeseed meal S. Thomke, H. Pettersson, M. Neil and J. Håkansson (Uppsala, Sweden) . . . . .	207
Detoxification of the jackbean ( <i>Canavalia ensiformis</i> L.) with pilot scale roasting. I: Technological conditions and analytical data J.-P. Melcion (Nantes, France), M. Kodaira (Caracas, Venezuela), A. León, C. Michelangeli, R.E. Vargas (Maracay, Venezuela) and M. Picard (Nouzilly, France) . . . . .	217
Detoxification of the jackbean ( <i>Canavalia ensiformis</i> L.) with pilot scale roasting. II: Nutritional value for poultry A. León, R.E. Vargas, C. Michelangeli (Maracay, Venezuela), J.-P. Melcion (Nantes, France) and M. Picard (Nouzilly, France) . . . . .	231
Studies on untreated and urea-treated rice straw from three cultivation seasons: 1. Physical and chemical measurements in straw and straw fractions H.S. Shen (Aas, Norway), D.B. Ni (Hubei, People's Republic of China) and F. Sundstøl (Aas, Norway) . . . . .	243
In vitro digestion kinetics of neutral detergent fiber extracted from Tifton 85 and Coastal bermudagrasses P. Mandebvu, J.W. West, R.N. Gates and G.M. Hill (Tifton, GA, USA) . . . . .	263
Effect of feeding protein according to ARC and NRC recommendations on dry matter intake, digestibility and production performance in crossbred cows in late lactation M. Venkatesh, U. Krishnamoorthy, F. Mohammed and B.P. Hegde (Bangalore, India) . . . . .	271
Effect of hay maturity, forage source, or neutral detergent fiber content on digestion of diets containing Tifton 85 bermudagrass and corn silage P. Mandebvu, J.W. West, R.N. Gates and G.M. Hill (Tifton, GA, USA) . . . . .	281
Comparison of microbiological and fermentation parameters obtained with an improved rumen in vitro technique with those obtained in vivo G. Gizzi, R. Zanchi and F. Sciaraffia (Milan, Italy) . . . . .	291
Influence of dietary Vitamin E level on egg production of broiler breeders, and on the growth and immune response of progeny in comparison with the progeny from eggs injected with Vitamin E S.M. Hossain, S.L. Barreto (Belo Horizonte, Brazil), A.G. Bertechini (Lavras, Brazil), A.M. Rios and C.G. Silva (Belo Horizonte, Brazil) . . . . .	307
The nutritive value for chicks of full-fat soybeans irradiated at up to 60 kGy M. Diaa El-Din H. Farag (Cairo, Egypt) . . . . .	319
Effect of betaine on fat content in growing lambs C. Fernández (Albacete, Spain), L. Gallego and C.J. Lopez-Bote (Madrid, Spain) . . . . .	329
Nutrient utilization by Murrah buffaloes ( <i>Bubalus bubalis</i> ) as influenced by	

varying levels of urea molasses mineral block on wheat straw based diets A.K. Verma, U.R. Mehra and R.S. Dass (Izatnagar, India) . . . . .	339
Effect of feeding baled and stacked urea treated rice straw on the performance of crossbred cows R.D.D. Prasad, M.R. Reddy and G.V.N. Reddy (Hyderabad, Andhra Pradesh, India) . . . . .	347
Effects of bromoethansulphonic acid and monensin on in vitro fermentation pattern of non-fasted rabbits F. Piattoni, L. Mbanzamihiho, D. Demeyer (Melle, Belgium), L. Nollet (Gent, Belgium) and L. Maertens (Merelbeke, Belgium) . . . . .	353
Substitution of dry <i>Leucaena leucocephala</i> (DLL) leaves for cotton seed cake (CSC) as a protein supplement to urea treated maize stover fed to dairy weaner goats E.E. Ndemanisho, L.A. Mtenga, E.F.C. Kimbi, A.E. Kimambo and E.J. Mtengeti (Morogoro, Tanzania) . . . . .	365
<b>Book Reviews</b>	
Crop residues in sustainable mixed crop/livestock farming systems . . . . .	375
Contamination of animal products: prevention and risks for animal health. Scientific and Technical Review . . . . .	377

